

## Certificate of Analysis

**Company:** Upstate Elevator Operators  
 699 Pine St Suite C  
 Burlington, VT 05401

**Customer ID:** 220906-2  
**Grower License #:** S-000000914

**Sample ID:** THC+CBD Terpene Enhanced Tincture, 300mg  
**Lot:** N/A  
**Matrix:** Tincture

**Date Sampled:** 9/15/2022  
**Date Received:** 9/20/2022

**Report Date:** 10/4/2022  
**Date Analyzed:** 9/27/2022  
**Analyst:** CF  
**Report ID:** C220920AE

### Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
$\alpha$ - Pinene	0.010	0.219	0.022
Camphene	0.010	<LOQ	<LOQ
$\beta$ -Myrcene	0.010	0.798	0.080
b-Pinene	0.010	0.102	0.010
3-Carene	0.010	<LOQ	<LOQ
$\alpha$ -Terpinene	0.010	<LOQ	<LOQ
Limonene	0.010	0.168	0.017
$\rho$ -Cymene	0.010	<LOQ	<LOQ
Ocimene	0.010	<LOQ	<LOQ
Eucalyptol	0.010	<LOQ	<LOQ
$\gamma$ -Terpinene	0.010	<LOQ	<LOQ
Terpinolene	0.010	<LOQ	<LOQ
Linalool	0.010	0.065	0.007
Isopulegol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Caryophyllene	0.010	0.106	0.011
$\alpha$ -Humulene	0.010	0.029	0.003
Trans-Nerolidol	0.010	<LOQ	<LOQ
Cis-Nerolidol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Caryophyllene Oxide	0.010	<LOQ	<LOQ
$\alpha$ -Bisabolol	0.010	<LOQ	<LOQ
<b>Total Terpenes</b>		<b>1.487</b>	<b>0.150</b>

N/A

**Percent  
Moisture**


LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: \_\_\_\_\_

*Luke E. M.*

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)